Revision: 10.05.2021

Phone +49 (0) 5121 2893390

Fax +49 (0) 5121 2893367



Safety data sheet according to 1907/2006/EC

Printing date 10.05.2021

Version number 12 (replaces version 11)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: Duroval Indikator Pulver
- · UFI: JTSQ-E4U6-4004-PCRJ
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation:

Reagent for analysis

EuPCS: PC-TEC-19 Reagents and laboratory chemical

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gebrüder Heyl Analysentechnik GmbH & Co. KG Orleansstraße 75 b

Turther information obtainable from: product carety

· 1.4 Emergency telephone number:

Giftinformationszentrum Nord Phone +49 (0) 551 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



CUCAZ

- · Signal word Warning
- · Hazard-determining components of labelling:

Tris(hydroxymethyl)aminomethane

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)



Printing date 10.05.2021 Version number 12 (replaces version 11)

Trade name: Duroval Indikator Pulver

(Contd. of page 1)

Revision: 10.05.2021

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Tris(hydroxymethyl)aminomethane

- · Hazard statements Void
- · Precautionary statements Void
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

· Dangerous components:		
CAS: 77-86-1 EINECS: 201-064-4 Reg.nr.: 01-2119957659-16	Tris(hydroxymethyl)aminomethane Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	50 – 100%
EINECS: 239-803-8	Ethylendiamintetraacetic acid dipotassiummagnesium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥ 2.5 – < 10%

- · SVHC Not applicable.
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

A person vomiting while laying on their back should be turned onto their side.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 10.05.2021

Version number 12 (replaces version 11)

Trade name: Duroval Indikator Pulver

(Contd. of page 2)

Revision: 10.05.2021

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Avoid formation of dust.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- · Recommended storage temperature: 15 25 °C
- · Storage class:

Storage class 11: Combustible solids that cannot be assigned to any other storage class (TRGS 510)

· 7.3 Specific end use(s) No further relevant information available.

DE_EN



Printing date 10.05.2021

Version number 12 (replaces version 11)

Trade name: Duroval Indikator Pulver

(Contd. of page 3)

Revision: 10.05.2021

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Filter P1

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.12 mm

Value for the permeation: Level = 6 (> 480 min)

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.12 mm Value for the permeation: Level = 6 (> 480 min)

Eye/face protection



Tightly sealed goggles according to EN 166

(Contd. on page 5)



Printing date 10.05.2021 Version number 12 (replaces version 11) Revision: 10.05.2021

Trade name: Duroval Indikator Pulver

· Body protection: Protective work clothing

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odourless
Odour threshold:
Melting point/freezing point:

Solid

Grey
Odourless
Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not determined.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.Flash point: Undetermined.

• Auto-ignition temperature: Product is not selfigniting.

· **Decomposition temperature:** Not determined.

· pH (10 g/l) at 20 °C 10

· Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

Solubility

• water at 20 °C: ca. 800 g/l

· Partition coefficient n-octanol/water (log

value)Not determined.Vapour pressure:Not applicable.

· Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not applicable.
 Particle characteristics See item 3.

· 9.2 Other information

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Not determined.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not applicable.

Information with regard to physical hazard

classes Void · Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

(Contd. on page 6)



Printing date 10.05.2021 Version number 12 (replaces version 11) Revision: 10.05.2021

Trade name: Duroval Indikator Pulver

(Contd. of page 5)

· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Violent reactions with strong alkalis and oxidising agents.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

CAS: 77-86-1	Tris(h	ydrox	ymethy	/I)	aminomethane
--------------	--------	-------	--------	-----	--------------

Oral LD50 > 5,000 mg/kg (rat)
Dermal LD50 > 5,000 mg/kg (rat)

CAS: 15708-48-2 Ethylendiamintetraacetic acid dipotassiummagnesium salt

Oral LD50 > 2,000 mg/kg (rat)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 10.05.2021

Version number 12 (replaces version 11)

Trade name: Duroval Indikator Pulver

(Contd. of page 6)

Revision: 10.05.2021

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	on
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	n g to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

DE_EN

(Contd. on page 8)



Printing date 10.05.2021

Version number 12 (replaces version 11)

Trade name: Duroval Indikator Pulver

(Contd. of page 7)

Revision: 10.05.2021

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- · Department issuing SDS: product safety department.
- · Date of previous version: 01.08.2019
- · Version number of previous version: 11
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.