

Revision: 16.09.2021 Printing date 16.09.2021 Version number 11 (replaces version 10) SECTION 1: Identification of the substance/mixture and of the company. undertaking · 1.1 Product identifier • Trade name: Testomat 2000 self clean Reinigungslösung · UFI: M9ES-14PM-7004-N3DG · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation: Reagent for analysis EuPCS: PC-TEC-19 Reagents and laboratory chemical · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Gebrüder Heyl Phone +49 (0) 5121 2893390 Analysentechnik GmbH & Co. KG Fax +49 (0) 5121 2893367 Orleansstraße 75 b E-mail info@heylanalysis.de D-31135 Hildesheim Internet www.heylanalysis.de · Further information obtainable from: product safety department · 1.4 Emergency telephone number: Giftinformationszentrum Nord Phone +49 (0) 551 19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Met. Corr.1 H290 May be corrosive to metals. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 · Signal word Warning · Hazard statements H290 May be corrosive to metals. Precautionary statements P234 Keep only in original packaging. P390 Absorb spillage to prevent material damage. Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms Void · Signal word Void · Hazard statements Void · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 2)

DE EN



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

Water CAS 7732-18-5

CAS: 7647-01-0	hydrogen chloride	≥ 2.5 – < 10%
EINECS: 231-595-7	Skin Corr. 1B, H314	
Index number: 017-002-00-2		
Reg.nr.: 01-2119484862-27	Specific concentration limits:	
-	Skin Corr. 1B; H314: C ≥ 25 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
	STOT SE 3; H335: C ≥ 10 %	

SVHC Not applicable.

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

- *Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.*
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:
- A person vomiting while laying on their back should be turned onto their side.
- Rinse out mouth and then drink plenty of water.
- Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Hydrogen chloride (HCl)
- · 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- *6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.*
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

⁻ DE_EN



Printing date 16.09.2021

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

(Contd. of page 2) · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clean the affected area carefully; suitable cleaners are: Warm water 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. · Information about fire - and explosion protection: No special measures required. 7.2 Conditions for safe storage, including any incompatibilities · Storage: • **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle. · Information about storage in one common storage facility: Store away from foodstuffs. · Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. · Recommended storage temperature: 15 - 25 °C Storage class: Storage class 12: Non-combustible liquids that cannot be assigned to any other storage class (TRGS 510) · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7647-01-0 hydrogen chloride

- AGW (Germany) Long-term value: 3 mg/m³, 2 ppm 2(I);DFG, EU, Y
- Regulatory information AGW (Germany): TRGS 900
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type E

(Contd. on page 4)



Printing date 16.09.2021

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

Hand protoction	(Contd. of page 3
Hand protection	
J. Martin and A.	
Protective gloves	
Wear gloves according to EN 374.	
	e and resistant to the product/ the substance/ the
preparation.	
	ion of the penetration times, rates of diffusion and the
degradation	
Check protective gloves prior to each use for t	their proper condition.
Preventive skin protection by use of skin-prote	ecting agents is recommended.
After use of gloves apply skin-cleaning agents	and skin cosmetics.
Material of gloves	
	only depend on the material, but also on further mark
of quality and varies from manufacturer to mai	nufacturer.
Penetration time of glove material	
	d out by the manufacturer of the protective gloves and
has to be observed. For the normanant contact gloves made of	the following meterials are suitable.
For the permanent contact gloves made of Nitrile rubber, NBR	the following materials are suitable:
Recommended thickness of the material: ≥ 0.4	4 mm
Value for the permeation: Level = 6 (> 480 mir	
As protection from splashes gloves made	
Nitrile rubber, NBR	
Recommended thickness of the material: \geq 0.1	12 mm
Value for the permeation: Level = 4 (> 120 mir	n)
Eye/face protection	
Tightly sealed goggles according to	EN 166
Redu protection: Protective work clothing	
Body protection: Protective work clothing	
SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and chem	nical properties
General Information	
Physical state	Fluid
Colour: Odour:	Colourless
Odour: Odour threshold:	Odourless Not determined.
	Undetermined.
<i>Melting point/freezing point: Boiling point or initial boiling point and</i>	
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Undetermined.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition tomporature:	Not determined

Not determined.

Not determined.

< 1

- Auto-ignition temperature:
- · Decomposition temperature:
- · pH at 20 °C
- · Viscosity:
- · Kinematic viscosity

(Contd. on page 5)

DE_EN-



Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

	(Contd. of page
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.02 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
	Void
Oxidising gases	Void
Gases under pressure	
Flammable liquids Flammable solids	Void Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with metals forming hydrogen.

• **10.4 Conditions to avoid** No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Hydrogen chloride (HCl)

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

DE_EN



Printing date 16.09.2021

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

(Contd. of page 5)

· LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrogen chloride

Inhalative LC50/5 min 40,989 ppm (rat)

LC50/30 min 4,701 ppm (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met. • **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

DE EN



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

(Contd. of page 6)

<i>14.1 UN number or ID number ADR, IMDG, IATA</i>	UN1789
· · ·	
<i>14.2 UN proper shipping name ADR</i>	1789 HYDROCHLORIC ACID solution
IMDG, IATA	HYDROCHLORIC ACID solution
14.3 Transport hazard class(es)	
• • • •	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	11
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B Strong poids
Segregation groups Stowage Category	Strong acids C
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according to)
IMO instruments	Not applicable.
Transport/Additional information:	Void
ADR	
Limited quantities (LQ)	1L
Excepted quantities (ÉQ)	Code: E2
	Maximum net quantity per inner packaging: 30 m
Transport category	Maximum net quantity per outer packaging: 500 i
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 500 i
UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, II

(Contd. on page 8)



Printing date 16.09.2021

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

(Contd. of page 7)

SECTION 15: Regulatory	information
	onmental regulations/legislation specific for the substance
-	s - ANNEX I None of the ingredients is listed.
DIRECTIVE 2011/65/EU on the electrical and electronic equip	ne restriction of the use of certain hazardous substances oment – Annex II
None of the ingredients is listed.	
REGULATION (EU) 2019/1148	
licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose
None of the ingredients is listed.	
Annex II - REPORTABLE EXPL	
None of the ingredients is listed.	
Regulation (EC) No 273/2004 c	•••
CAS: 7647-01-0 hydrogen chlor	ride
Regulation (EC) No 111/2008 Community and third countrie	5 laying down rules for the monitoring of trade between t es in drug precursors
CAS: 7647-01-0 hydrogen chlor	ride
Employment restrictions concern Employment restrictions concern	ning pregnant and lactating women must be observed.
Employment restrictions concern Waterhazard class: Water haza	
Employment restrictions concern Waterhazard class: Water haza	ning pregnant and lactating women must be observed. ard class 1 (Self-assessment): slightly hazardous for water. nent: A Chemical Safety Assessment has not been carried out.
Employment restrictions concern Waterhazard class: Water haza 15.2 Chemical safety assessm SECTION 16: Other infor This information is based on our	ning pregnant and lactating women must be observed. ard class 1 (Self-assessment): slightly hazardous for water. nent: A Chemical Safety Assessment has not been carried out.
Employment restrictions concern Waterhazard class: Water haza 15.2 Chemical safety assessm SECTION 16: Other infor This information is based on our	ning pregnant and lactating women must be observed. and class 1 (Self-assessment): slightly hazardous for water. Dent: A Chemical Safety Assessment has not been carried out. Mation r present knowledge. However, this shall not constitute a guarant and shall not establish a legally valid contractual relationship.
Employment restrictions concern Waterhazard class: Water haza 15.2 Chemical safety assessm SECTION 16: Other infor This information is based on our for any specific product features Relevant phrases H314 Causes severe skin burns H335 May cause respiratory irrit Department issuing SDS: prod Date of previous version: 06.0 Version number of previous v Abbreviations and acronyms: RID: Reglement international concern	ning pregnant and lactating women must be observed. and class 1 (Self-assessment): slightly hazardous for water. nent: A Chemical Safety Assessment has not been carried out. mation r present knowledge. However, this shall not constitute a guarant and shall not establish a legally valid contractual relationship. and eye damage. ation. fuct safety department 06.2019 ersion: 10 ant le transport des marchandises dangereuses par chemin de fer (Regulation
Employment restrictions concern Waterhazard class: Water haza 15.2 Chemical safety assessm SECTION 16: Other infor This information is based on our for any specific product features Relevant phrases H314 Causes severe skin burns H335 May cause respiratory irrit Department issuing SDS: prod Date of previous version: 06.0 Version number of previous v Abbreviations and acronyms: RID: Règlement international concern Concerning the International concern Concerning the International Transport ICAO: International Civil Aviation Organ ADR: Accord relatif au transport interna- the International Carriage of Dangerous IMDG: International Maritime Code for IATA: International Air Transport Associ GHS: Globally Harmonised System of C EINECS: European Inventory of Existing	ning pregnant and lactating women must be observed. and class 1 (Self-assessment): slightly hazardous for water. nent: A Chemical Safety Assessment has not been carried out. mation r present knowledge. However, this shall not constitute a guarant and shall not establish a legally valid contractual relationship. and eye damage. ation. fuct safety department 16.2019 ersion: 10 ant le transport des marchandises dangereuses par chemin de fer (Regulation of Dangerous Goods by Rail) isation tional des marchandises dangereuses par route (European Agreement Concern Goods by Road) Dangerous Goods iation 2.2235fication and Labelling of Chemicals g Commercial Chemical Substances
Employment restrictions concern Waterhazard class: Water haza 15.2 Chemical safety assessm SECTION 16: Other infor This information is based on our for any specific product features Relevant phrases H314 Causes severe skin burns H335 May cause respiratory irrit Department issuing SDS: prod Date of previous version: 06.0 Version number of previous v Abbreviations and acronyms: RID: Règlement international concern Concerning the International concern CAC: International Civil Aviation Organ ADR: Accord relatif au transport interna- the International Carriage of Dangerous IMDG: International Air Transport Associ GHS: Globally Harmonised System of C	ning pregnant and lactating women must be observed. and class 1 (Self-assessment): slightly hazardous for water. nent: A Chemical Safety Assessment has not been carried out. mation r present knowledge. However, this shall not constitute a guarant and shall not establish a legally valid contractual relationship. and eye damage. fation. luct safety department 6.2019 ersion: 10 ant le transport des marchandises dangereuses par chemin de fer (Regulatio of Dangerous Goods by Rail) isation tional des marchandises dangereuses par route (European Agreement Concern Goods by Road) Dangerous Goods iation Classification and Labelling of Chemicals g Commercial Chemical Substances ion of the American Chemical Society)



Safety data sheet according to 1907/2006/EC

Version number 11 (replaces version 10)

Revision: 16.09.2021

Trade name: Testomat 2000 self clean Reinigungslösung

Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered. DE_EN